

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Centurion CN10-B

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Tonnage: 55

Tech Base: Inner Sphere

Rules Level: Standard

Role: Brawler

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LB 10-X AC	RA	2	10	—	6	12	18
				[DB,C/F/S]				
1	LRM 10 w/ Artemis IV	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Pulse Laser (R)	CT	4	6 [P]	—	2	4	6

Ammo: [LB 10-X] 20, [LRM 10] 24

BV: 1,243




WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- [LRM 10
- [LRM 10
- Artemis IV FCS
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Endo Steel
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

1-3

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- Medium Laser
- Medium Pulse Laser (R)

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- LB 10-X AC
- LB 10-X AC
- LB 10-X AC

1-3

- LB 10-X AC
- LB 10-X AC
- LB 10-X AC
- Endo Steel
- Endo Steel
- Endo Steel

4-6

Right Torso

- Heat Sink
- Ammo [LB 10-X] 10
- Ammo [LB 10-X] 10
- Ammo [LRM 10] 12
- Ammo [LRM 10] 12
- CASE

1-3


- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again

4-6

Right Leg


- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	10
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Centurion CN10-J

Movement Points:

Walking: 4

Running: 6

Jumping: 4

Tonnage: 55

Tech Base: Inner Sphere

Rules Level: Standard

Role: Brawler

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LB 10-X AC	RA	2	10	-	6	12	18
				[DB,C/F/S]				
1	LRM 10 w/ Artemis IV	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	CT	3	5 [DE]	-	3	6	9
1	Medium Pulse Laser (R)	CT	4	6 [P]	-	2	4	6

Ammo: [LB 10-X] 20, [LRM 10] 24

BV: 1,257




WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- [LRM 10]
- [LRM 10]
- Artemis IV FCS
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Endo Steel
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Jump Jet
- Jump Jet

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

1-3

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- Medium Laser
- Medium Pulse Laser (R)

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- LB 10-X AC
- LB 10-X AC
- LB 10-X AC

1-3

- LB 10-X AC
- LB 10-X AC
- LB 10-X AC
- Endo Steel
- Endo Steel
- Endo Steel

4-6

Right Torso

- Heat Sink
- Ammo [LB 10-X] 10
- Ammo [LB 10-X] 10
- Ammo [LRM 10] 12
- Ammo [LRM 10] 12
- CASE

1-3


- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again

4-6

Right Leg


- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Jump Jet
- Jump Jet

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	10
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Centurion CN10-W

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Tonnage: 55

Tech Base: Inner Sphere

Rules Level: Standard

Role: Sniper

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LB 10-X AC	RA	2	10	-	6	12	18
[DB,C/F/S]								
1	LRM 10 w/ Artemis IV	LT	4	1/Msl [M,C,S]	6	7	14	21
1	PPC	LT	10	10 [DE]	3	6	12	18

Ammo: [LB 10-X] 20, [LRM 10] 24

BV: 1,112




WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Heat Sink
- PPC
- PPC

1-3

- PPC
- LRM 10
- LRM 10
- Artemis IV FCS
- Endo Steel
- Endo Steel

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

1-3

- #### Center Torso
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Gyro
 - Gyro
 - Gyro

4-6

- #### Right Torso
- Gyro
 - XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Heat Sink
 - Heat Sink

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- LB 10-X AC
- LB 10-X AC
- LB 10-X AC

1-3

- LB 10-X AC
- LB 10-X AC
- LB 10-X AC
- Endo Steel
- Endo Steel
- Endo Steel

4-6

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Heat Sink
- Heat Sink
- Ammo (LRM 10) 12

1-3


- Ammo (LRM 10) 12
- Ammo (LB 10-X) 10
- Ammo (LB 10-X) 10
- CASE
- Endo Steel
- Endo Steel

4-6

Right Leg


- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	13
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○○
24	+4 Modifier to Fire	○○○○○
23	Ammo Exp, avoid on 6+	○○○○○○
22	Shutdown, avoid on 8+	○○○○○○○
20	-4 Movement Points	○○○○○○○○
19	Ammo Exp, avoid on 4+	○○○○○○○○○
18	Shutdown, avoid on 6+	○○○○○○○○○○
17	+3 Modifier to Fire	○○○○○○○○○○○
15	-3 Movement Points	○○○○○○○○○○○○
14	Shutdown, avoid on 4+	○○○○○○○○○○○○○
13	+2 Modifier to Fire	○○○○○○○○○○○○○○
10	-2 Movement Points	○○○○○○○○○○○○○○○
8	+1 Modifier to Fire	○○○○○○○○○○○○○○○○
5	-1 Movement Points	○○○○○○○○○○○○○○○○○

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Gyr Falcon 5

Movement Points:

Walking: 5

Running: 8 [10]

Jumping: 7

Tonnage: 55

Tech Base: Clan

Rules Level: Standard

Role: Skirmisher

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Large Laser	LA	12	10 [DE]	-	8	15	25
1	Ultra AC/5	LA	1	5/Sht	-	7	14	21
				[DB,R/C]				
1	ER Large Laser	RA	12	10 [DE]	-	8	15	25
1	Ultra AC/5	RA	1	5/Sht	-	7	14	21
				[DB,R/C]				
1	Partial Wing	LT	-	[E]	-	-	-	-

Ammo: [Ultra AC/5] 20

BV: 2,151




WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - ER Large Laser
 - Ultra AC/5
 - Ultra AC/5
 - Ultra AC/5

- Endo Steel
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again
- Roll Again

- Left Torso**
- XL Fusion Engine
 - XL Fusion Engine
 - Partial Wing
 - Partial Wing
 - Partial Wing
 - Jump Jet

- Jump Jet
- MASC
- MASC
- Roll Again
- Roll Again
- Roll Again


- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Ferro-Fibrous
 - Ferro-Fibrous

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Endo Steel
 - Sensors
 - Life Support

- Center Torso (CASE)**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Jump Jet
- Ammo [Ultra AC/5] 20

Engine Hits ○○○○
Gyro Hits ○○○
Sensor Hits ○○○
Life Support ○



Damage Transfer Diagram

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - ER Large Laser
 - Ultra AC/5
 - Ultra AC/5
 - Ultra AC/5


- Endo Steel
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again
- Roll Again

- Right Torso**
- XL Fusion Engine
 - XL Fusion Engine
 - Partial Wing
 - Partial Wing
 - Partial Wing
 - Jump Jet

- Jump Jet
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again
- Roll Again

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Ferro-Fibrous
 - Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Laser Heat Sinks: 10 (20)



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0